


## Krążniki tarczowe

Support ring roller • Stützringtragrolle • Rouleau anticolmatant



Typowe średnice tarczy $\varnothing D$	L	L2	A	s	łożysko Bearing type Lagertyp Type de roulement	Typowe średnice rury Tube Rohr Tube
$\varnothing 89$ $\varnothing 108$	160	198	15	14	6204 C3	51x3,2 63,5x3,2
	200	238				
	250	288				
	315	353				
	380	418				
	465	503				
	500	538				
	530	568				
	600	638				
	670	708				
	700	738				
	750	788				
	900	938				
	950	988				
	1000	1038				
	1150	1188				
	1400	1438				
1600	1638					
1800	1838					
2000	2038					


Na życzenie klienta wymiary inne od katalogowych ustalane są indywidualnie.

Dimensions different from those in the catalogue can be set individually, at the customer's request.

### Inne rodzaje osi

other types of axles • andere Achsenarten • autres types d'axes

$\varnothing d$	M	S
20	12	14
20	12	15



WYKON. A.M.


Typowe średnice tarczy Ø D	L	L2	A	s	łożysko Bearing type Lagertyp Type de roulement	Typowe średnice rury Tube Rohr Tube
Ø 133	250	288	15	14	6204 C3	51x3,2 63,5x3,2 88,9x3,6
	315	353				
	380	418				
	465	503				
	500	538				
	530	568				
	600	638				
	670	708				
	700	738				
	750	798				
	900	948				
	950	998				
	1000	1048				
	1150	1198				
	1200	1298				
	1400	1448				
	1600	1648				
	1800	1848				
2000	2048					
			20			

Na życzenie klienta wymiary inne od katalogowych ustalane są indywidualnie.  
Dimensions different from those in the catalogue can be set individually, at the customer's request.

### Inne rodzaje osi

other types of axles • andere Achsenarten • autres types d'axes

Ø d	M	S
20	12	14
20	12	15



Typowe średnice tarczy Ø D	L	L2	A	s	Łożysko Bearing type Lagertyp Type de roulement	Typowe średnice rury Tube Rohr Tube
Ø 159	250	288	15	22	6206 C3	70x5,6
	315	353				
	380	418				
	465	503				
	500	538				
	530	568				
	600	638				
	670	708				
	700	738				
	750	798				
	900	948				
	950	998				
	1000	1048				
	1150	1198				
	1200	1298				
	1400	1448				
	1600	1648				
	1800	1848				
2000	2048					
			20			
<p><i>Na życzenie klienta wymiary inne od katalogowych ustalane są indywidualnie. Dimensions different from those in the catalogue can be set individually, at the customer's request.</i></p>						